



FW: Sediments in last load of Frac Tank #3  
Kevin Shaver  
to:  
Eric Daly  
04/19/2012 02:31 PM  
Hide Details  
From: "Kevin Shaver" <kshaver@kemron.com>

To: Eric Daly/R2/USEPA/US@EPA

Just an FYI on the frac tank 3 fluids we sent to tradebe in Bridgeport CT.

---

**From:** Janelle Murphy  
**Sent:** Thursday, April 19, 2012 2:04 PM  
**To:** Ray Veronneau  
**Cc:** Kevin Shaver  
**Subject:** RE: Sediments in last load of Frac Tank #3  
**Importance:** High

Contract Language:

#### **C.4.3 OFF SPECIFICATION MATERIAL**

In the event that any off specification (Off Spec) material arrives at the disposal facility(s), prior written authorization must be given by KEMRON before any additional charges can be incurred. KEMRON defines Off Spec materials as those wastes that prove to be inconsistent with the approved waste profile as accepted by the disposal facility(s). Before KEMRON will authorize any additional cost, the subcontractor will provide in writing, on company letterhead, a statement certifying the waste is Off Spec waste. The signatory of this statement must have the authority to bind the subcontractor's company. In addition to the statement that the waste is Off Spec, the written notification will include the reason the waste was deemed Off Spec. The reason will include how the waste was profiled and which parameter on the profile was incorrect. If the waste is deemed to be Off Spec due to its chemical nature, the Off Spec notification must be accompanied by hard copy analytical data from the laboratory performing the testing that indicates that the materials are Off Spec. In this circumstance, it will be the subcontractor's responsibility to provide (if requested by the KEMRON T&D coordinator and response manager) a 16oz sample of the Off Spec waste at no additional cost to KEMRON. If the waste is Off Spec due to physical characteristics, the vendor must provide KEMRON with photocopies documenting the waste characteristics.

You all MUST provide written documentation from Tradebe to show this information so that we may present

this to our client for approval. You will also need to provide a letter on company letterhead to explain such.

***Janelle Murphy***

*Transportation and Disposal Coordinator*  
 404-601-6939 (direct) 404-808-3769 (mobile)  
[jmurphy@kemron.com](mailto:jmurphy@kemron.com)

***KEMRON Environmental Services Inc.***

*1359-A Ellsworth Industrial Blvd*  
*Atlanta, GA 30318*  
 404-636-0928 (office) 404-636-7162 (fax)

Visit us at [www.kemron.com](http://www.kemron.com)

**From:** Ray Veronneau [<mailto:rveronneau@awmsi.com>]

**Sent:** Thursday, April 19, 2012 12:50 PM

**To:** Kevin Shaver; Janelle Murphy

**Subject:** Sediments in last load of Frac Tank #3

Hello,

I have been notified from United /Tradebe that the final load from Frac tank #3 contained 28% settled solids.

Our rate included 3% so we are being hit for 25%.

The surcharge is \$.03 per every 1% over 3%.

We will inv this plus our standard 10% margin on off specs.

I have asked if there was any other surprises in any other loads and told no.

Any questions please call.

Thanks,

**Raymond Veronneau**

American Waste Management Services, Inc  
 One American Way Warren, Ohio 44484  
 phone 203-393-0035  
 Fax 203-393-0053  
 Cell 203-915-6533  
[rveronneau@awmsi.com](mailto:rveronneau@awmsi.com)

**Know Safety, No Accidents**



Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to [postmaster@kemron.com](mailto:postmaster@kemron.com). Thank you.